



Banol®

FUNGICIDE

For control of Pythium and Phytophthora

ACTIVE INGREDIENT:

Propamocarb hydrochloride* 66.5%

OTHER INGREDIENTS: 33.5%

TOTAL 100.0%

*Propyl [3-(dimethylamino)propyl] carbamate monohydrochloride

Contains 6.0 lbs. active ingredient per gallon

EPA Reg. No. 432-942

**STOP - READ THE LABEL
BEFORE USE
KEEP OUT OF REACH OF
CHILDREN**

CAUTION

For MEDICAL And TRANSPORTATION
Emergencies ONLY Call 24 Hours A Day

1-800-334-7577

For PRODUCT USE Information Call
1-800-331-2867

See inside leaflet for complete First
Aid Instructions, Precautionary
Statements, Directions for Use and
Storage and Disposal Instructions.


Net Contents

2.5 Gallons

79895402

61380122A 150112AV1

Pythium



FIRST AID

I. 3 - :-	H - - 5 : / : / 1: 1 0 / 9 9 105 1 E 2 1- 9 1: - 0 B 1 H - B 1 1 : 5 - 3 - 2 C - 1 2 . 1 C - C H : 5 0 A / 1 B 9 5 5 3 A: 1 0 . E - 5 : / : / 1: 1 0 / H : 3 B 1 - : E 4 5 3 - : A: / : / 5 A 1 :
I. 6 - :-	H 0 1 E 1 1: - 0 5 1 C E - : 0 3 1: E C 5 4 C - 1 2 9 5 A 1 H 1 9 B 1 / : - / 1: 1 2 1 1: - 2 1 4 1 2 5 9 5 A 1 4 1: / : 5 A 1 5 5 3 H - - 5 : / : / 1: 1 0 / 2 1- 9 1: - 0 B 1
I. 5:26 3 05/:	H - 7 1 2 / : - 9 5 - 10 / 4 5 3 H 5 1 7 5 9 9 105 1 E C 5 4 1: E 2 C - 1 2 9 5 A 1 H - - 5 : / : / 1: 1 0 / 2 1- 9 1: - 0 B 1
<p>NOTE TO SICIAN: : - 0 9 5 5 1 - 5 1 A: 1 / 4 5 1 1 - 1 5 4 5 5 5: 5 9 1- A 10 - 5: 4 C 0 5 /: E 9 4 1 1 2 D 9 1 4 1 - E 5 /: - 5 0 5 - 10 4 1 C 5 1 - 0 9 5 5 - 5: 2 3- 5 - B - 3 1 5 0 A / 5: 2 B 9 5 5 3 2 C 1 0. E - 5 - 5: 2 - / B 10 - 4 / - 5 4 1 1 / 9 9 1: 0 1 0 1- 9 1: IN CASE OF MEDICAL EMERGENCIES OR EMERGENCIES OR SAFETY IN CASE OF FIRE LEAKS OR DAMAGED CONTAINERS INFORMATION MAY BE OBTAINED BY CALLING AT THE RODUCT CONTAINER OR LABEL IT OR EN CALLING A POISON CONTROL CENTER OR DOCTOR OR ON FOR TREATMENT</p>	

PREVENTIVE CARE STATEMENTS

AWARDS TO ANSWERS AND DEDICATIONS AND ACHIEVEMENTS

ACTION

- 9 2 A 2 C - C 1 0 - . 1 0 4 A 3 4 4 1 7 5 - A 1 9 0 1 - 1 1 E 1 5 5 - 5: B 5 / : - / C 5 4 7 5 1 E 1 / 4 5 3 : 3 1 0 2 1 A 1: E 1 1 - 1 0 7 5 / : - / 9 - E / - A 1 - 1 3 5 1 / 5: 5 9 1 5 0 5 0 A -

PERSPECTIVE PRACTICE TIME EXPENSE

9 1 9 - 1 5 4 - - 1 / 4 1 9 5 - 1 5 : - 4 5 0 A / - 1 5 1 0 . 1 C 2 E A C - : 9 1 5: 2 C 4 1 5 A / 5: 2 / - 1 3 E : - / 4 1 9 5 - 1 5 : / 1 - 1 3 E 1 1 / 5: / 4 - 5: - - 0 4 1 4 : 0 1 . 4 (- : 0 : (9 A C 1 - H : 3 1 1 B 1 0 4 5 : - 0 : 3 : - H 4 1 9 5 - 1 5 : - 3 B 1 9 - 0 1 2 - : E C - 1 2 9 - 1 5 A / 4 - E 1 4 E 1: 1 E B 5 E / 4 5 1 H 4 1 A / 7 H 4 1 9 5 - 1 5 : - - : C 4 1: 9 - 7 5 3 0 5 - 5 - 5: C 9 - : A 2 / A 1 5 A / 5: 2 / 1 - : 5 3 9 - 5 - 5 5 3 2: A / 4 5 A / 5: 2 C - 4 - 1 A 1 0 1 1 3 1: - : 0 4 C - 1 1 1 - : 0 C - 4 1 - - 1 E 2 9 4 1 - A 0 E

ENGINEERING AND INTEGRATION STATEMENT

(4 1: 4 - : 0 1 A 1 / 10 E 1 9 1 / 10 / - 5 / - 2 5 - 9 - : 1 4 - 9 1 1 4 1 1 A 5 1 9 1: 5 1 0 5 4 1 (7 1 1 / 5: - - 0 0 (2 - 3 5 A A - 1 5 5 0 1 0 G , 4 1 4 : 0 1 1 A 5 1 9 1: 9 - E . 1 10 A / 10 9 0 5 0 - 1 5 0 5 4 1 (

SPECIAL SERVICES REQUESTED ENDNOTES

XXXXXX XXXXXX: (- 4 4 - 0 1 2 1 1 - 5 3 0 5 7 5 3 / 4 1 C 5 3 3 A 9 A 5 3 - - / / A 5 3 4 1 5 1 1 4 A 0 1 9 B 1 / 4 5 3 9 9 105 1 E 2 1 5 5 0 1 3 1 5 5 0 1 4 1: C - 4 4 A 3 4 E - : 0 A / 1 - / 4 5 3 1 4 A 0 1 9 B 1 1 / B 1 / 4 5 3 : 0 1 A 5 9 1: 9 9 105 1 E - 2 1 4 - : 0 5 3 4 5 0 A / (- 4 4 1 A 5 0 1 2 3 B 1 . 1 2 1 1 9 B 5 3 : - 5 1 C - 4 4 A 3 4 E - : 0 4 / - 3 1 5 / 1 - / 4 5 3

ENTERTAINMENT AWARDS

: - E 0 5 1 / E C - 1 - 1 - C 4 1 1 A 2 / 1 C - 1 5 1 1: 5 1 5 - - 1 - . 1 C 4 1 9 1 - : 4 5 4 C - 1 9 - 7 : / : - 9 5 - 1 C - 1 C 4 1: 0 5 5 3 2 1 A 5 9 1: C - 4 C - 1

DIRECTIONS AND ROLES

I t) 1 3 1 5 . F - , -) 3 3 : - 0 t 7 , B 4) 5 5 - 5 5 : t - 5 1 0 1: 3 * - 3 5 / : - E 4 5 0 A / 5 - C - E 4 - C 5 / : - / C 7 1 4 1 1 : 1 5 4 1 0 5 1 / E 4 A 3 4 0 2 : E 1 / 10 4 : 0 1 9 - E . 1 5 4 1 - 1 0 A 5 3 - 5 - 5: - : E 1 A 5 1 9 1: 1 / B 1 E A - 1 5 1 / : A 4 1 - 3 1: / E 1 : 5 1 2 1 5 5 0 1 1 3 A - 5:

A~~R~~ R~~U~~ R~~T~~ RA~~S~~ SE RE~~U~~ RE~~S~~ ENTS

1 45 0A/ : E5 -/- 0:-/1 C545 -.153:-0C545 41(71 1/5: :-0-0 45
 :-0-0 / : -5 1 A5191: 2 41 1/5: 2-35AA-C 71 : 2 9 2 1 : A 15 :-0311:
 4 A 1 :-04:01 2-35AA-A- 1 501 / : -5 1 A5191: 2 -55301/ : -95-5: : 5-5:
 :-019131:/E- 5 :-/1 / : -5 1/5 1 : - / : B1 1 A591: :-0-1 5 101: E5 1B-
 41 1 A5191: 5 45 . D : E- E A1 2 45 0A/ 4- -1 / B1 10.E 41(71 1/5: :-
 0-0
 : 1: 1 - CC 71 1: E5 1-10-1- 0A53 41 1 5 101: E5 1B- 2 4 A
 1 A510 2 1- E1: E 1-10-1- 4- 5 195 10A:01 41(71 1/5: :-0-0 :-0 4-
 5B B1 / : -/ C54-:E453 4- 4- .11: 1-10 A/4- : - 5 C-1 5
 H B1 - H 4 1 A /7 H 419 5- 15- : 3 B1 9-01 2-:EC-1 29- 15

N~~S~~ N~~S~~A~~R~~ R~~U~~ R~~T~~ RA~~S~~ SE RE~~U~~ RE~~S~~ ENTS

41 1 A5191: 5 45 . D- E A1 2 45 0A/ 4- -1: C545 41 / 1 241(71 1/5:
 :-0-0 2 -35AA-A- 1 501 - 41(- 5 C41: 45 0A/ 5 A 10 0A/1
 -35AA-A- : - 2 9 2 1 : A 15 3 11:4 A 1
 : 1: 1 - C 41 1: 1 1-10-1- A: 5 -E 4-B1 0 50

PR~~R~~ D~~U~~ T~~N~~~~M~~ R~~R~~ AT~~N~~

-: A: 35015 -/ 9 11EC-1 95/5 12A: 3501 / :/1: - 1 -: A: 35015 5 1:010 2 A 1 :
 A 28 - : -91: - 1/5 C454- 1 A 1/ E459 54 : E 54 1- 1 Phytophthora
 9-E.1A 10-21 31 95-5: / : E459 0-9 53 25 A2 : 1 - 5410 A2 1B1: / :
 E459 54 : - A: 35010 1 : -22 0. -0 1/ A9 051- 1/ : 2 h o to a . C: -/4
 rot a 0 - tho por 1-2 1- . -0 1/ A9 2A: 35012 41 1051- 1
 / 1D5 C54 E459 54
 -: A: 35015 - -1102 1B1: 5: 2 -:00-9 53 22/-A 10 .EPyth -:0 Phytophthora
 - - -31 2 : -91: - -3- 5:

COM ATIBILIT : -: A: 35015 / 9 - 5 1 C545 05:1 14- / 4 : 1. 54 2: 5059 12:
 /4 4- : 5 05 5 : /4 E2 -:0 45-9
 / : 2 41 5. : 1051- 1 A/4- h o to a ar -: A: 3501 / : .1 -7
 9 510 C54 45 4-: -1914E 1412A - 1 21-4 2A: 3501-:02 C 419 1 5 B1 051/ 5: -:0
 1 55: - 1-53 : 41 -1 2 41 1 0A/

SE RESTR~~E~~ T~~N~~ NS

: 3 - 1 210/5 53 2 9 1-10-1- B1 /7
 : - E 45 0A/ 4 A34 -:E 1 25 5- 5: E 19

T~~U~~.~~U~~.~~U~~ U~~U~~ .~~U~~ U~~U~~ 0~~U~~

-: A: 35015 - 1102 1B1: 5: 2 -:00-9 53 22/-A 10 .EPyth -:0 Phytophthora
 - - -31 2 A 28 - 01B1 91: -:0 : -91: - - -3- 5: 5/ A053 11053 -: -53
 -:0 53

TRF RASS	AREA	FL ID O NCES BANOL F N ICIDE	U U U U
: 2 E459 54 E459 -9 53 2-:0 : - 5410 A 2-:0 B1 11010 1-	2	Preventative Treatment: 2 5 3- : 2C- 1 Curative Treatment: 2 5 3- : 2 C- 1	D 5)773 4 - 0)5))3 . .3 3)1 .B)5 3F 5/11-7 : . . /):: 7- -) - 1)35 3)1A -) ESTABLIS ED TRF: E - - 1B1: - B1 1- 91: 0A 53 150 2454 19 1- A1-:0 4A9 05E2B - . 1 410B1 91: 2 E459 54 XXXXXXXXXX XXXX: E-21 31 95-5: / : E459 -9 53 22 XXXXXXXXXX XXXX: 1 1- - 0-E 5 1B- 5 / : 055: 19-5 2B - 12 051- 1 01B1 91: 1 C1 - 12 41 4 1 5 1B- -:0 41 4541 - 12 41 : 31 5 1B- C545 41 - 5-5: - 1 -:31 : 01 1B1 1051- 1 1 A1 / : 055: A 1 41 4541 - 110 - 1 -:0 4 1 5 1B- NOT FOR SE ON SOD FARMS IN ARI(ONA

D, 0~~U~~ U~~U~~ .~~U~~ U~~U~~ .~~U~~ U~~U~~ 0~~U~~

-: A: 3501 1 A51 : -35-5: -21 555 9 563 /7 A5: 2 -: A: 35019 A .1A 10 C545
 : 1 C117 29 563 -: A: 35010 1 : /-A 1 4E D9 E9 9 : 41 5 10 -: C41: A 10 - 05
 1/ 10 5 : 41 : -91: - 1/5 9A .1/ : 0A/ 10. 12 11D1: B1 A1 E / 991/5 E3 C:
 - 91: - 5 3 11:4 A 1 -:0 / : -51 3 C: : -91: - 5:A 15 . E 5 051/ 100 1/: E :
 - E- 50 1/:4 412 531

1/419 5- 1 5 - : 3 B1 C41: - : 53/A 53 110 53 110 5 41 5 3 9 105 4- 5 5 C1
 2 9 - - : A: 35 10 1 0: /4- 5- 5: : - E9 1 4-: 2 2 - : A: 35 10 . -5 1
 2 1 1 - :
 (41: 05 53 - : C 71 - 1 1 A510 A 1 41 - 10 1 : - 1/ B1 1 A59 1: : 45 - 1 - : 0
 - /419 5- 1 5 - : - : - A01: 9 1- A1

ORNAMENTALS	FL ID O NCES BANOL F N ICIDE	REMAR S
F C 5 3 - : Pythium - : 0 Phytophthora : - 9 1: - -: 25- : 5 1 31 - A9 E A9 1 - 1- C- 5 - - 5: 1 5 4 E - : 419 A9 1A - 45 A E 51 - 1 5E 1: 1 - : 59 D6 5 9 - 5: . 15 - 5 0 - : E 1 A: 5 5 1 5 A/- B5 - : 0 - 3 : 1. 1: - 5 1 - : 0 5/-	2 1 3- : 2 C- 1 2 1 3- : 2C- 1 2 1 3- : 2C- 1 2 1 3- : 2C- 1	XXXXXX E 41 11053 - 1- A 53 A- 2 A 5: 2 1- 12 1 C53 2 110 1 A5530- 72 3195- 5: 9-719 1 4-: C - 5- 5: 1 / : -51 1 1- : 2- 1/ : 0- 5- 5: 5 : 11010 4195 9 A9 1 1- 9 1: 5 1 B- 5 0-E XXXXXXXXXXXXXXXX E 41 - : - 53- 1- A 53 A- 2 A5: 2 12 1 - : - 53 : 9-719 9 1 4-: C - 5- 5: 1 / : -51 1 1- : 2- 1/ : 0- 5- 5: 5 : 11010 1 1- - - 9 5 9 A9 2 0-E 9 : 4 01 1: 053 : 41 - : 1/5 - : 0/A A- - / 51 XXXXXXXXXXXXXXXX 1/4 41/A 53. 10 A 53 3- : 2 A5: 2 12 1 1 53 : 9-719 1 4-: C - 5- 5: 1 / : -51 1 1- : 2 C - 5 /- 5: - 1. 1539- 01 0 : 1D/110 2 2 - : A: 35 10 1 2 1 - 5- 5: 2- 1/ : 0- 5 /- 5: 5 : 11010 1 1- - - 9 5 9 A9 2 0-E 9 : 4 01 01 1: 053 : 41 - : 1/5 - : 0/A A- - / 51 XXXXXXXX: 5 - 1 - : 5 41 A5: . 12 1 53 21 53 01: /4 1- /4 A 53 2 2 A5: 1 5/4 : 1D/110 2 2 - : A: 35 10 1 2 1 - 5- 5: - 0 0 : - E9 1 4-: C - 5- 5: 1 / : -51 1 1- : 2- 1/ : 0- 5- 5: 5 : 11010 1 1- - - 9 5 9 A9 2 0-E 9 : 4 01 1: 053 : 41 - : 1/5 - : 0/A A- - / 51
(0E : -9 1: -	2 1 3- : 2C- 1	/ : 2 Phytophthora : C 0E : -9 1: - 0 1: /4 1- /4- : -51 - 41 - 1 2 A- 2 A5: 2 2 A2/1 : 9-719 1 4-: C - 5- 5: 1 / : -51 1 1- : 2 C - 5- 5: - 1. 1539- 0 : 1D/110 2 2 - : A: 35 10 1 2 1 - 5- 5: 2- 1/ : 0- 5- 5: 5 : 11010 1 1- - - 9 5 9 A9 2 0-E 9 : 4 01 1: 053 : 41 - : 1/5 - : 0/A A- - / 51

STORAGE AND DISPOSAL

: / : -9 5- 1 C- 1 2 0 210. E -31 05 -
ESTICIDE STORA E: 15 35- / : -51 - : 0711 34 E/ 10 15 - / 0 E 1/A 1 - / 1
ESTICIDE DIS OSAL: (- 1 1 A 532 9 41 A 1 2 45 0A/ 9-E. 105 10 2 : 51 - - : -
 B10 C- 1 05 - 2/55E
CONTAINER ANDLIN: N 5 - 13 *3 5) 6- : 1A 1 125 45 / : -51 21 2 1/E/ 53 2
 -B-5. 1 22 2 1 / : 055: 53 2- 5 1 5 1 5 1 1 A1 5 1 / : -51 1 A 5 1: 9 E
 -21 19 E53 5 1 5 1- 2 C 9 E 41 19- 553 / : 1: 5 - 5- 5: 1 A59 1: - 9 5 10- 7
 -: 00- 5 2 1 / : 0 - 21 41 2 C. 135 0 5 5 41 / : -51 2A C54 C- 1 - : 0 1/ - 4- 71
 2 1 / : 0 A 5 - 15 - 5- 5: 1 A59 1: - 9 5 10- 7 1 5 - 12 - 1 A 1 05 -
 - 5 2 1 / : 0 - 21 41 2 C. 135 0 5 1 1- 45 / 10 A1 C 9 1 5 1 41: A/ A1 - : 0
 05 1 25 - - : 5- E - : 025 . E5/51- 5: 2- C10. E - 1 - : 0 / - A4 55 . E.A: 53 2
 .A: 10 - E A 2 9 71

RIGHTS AND READ RE USE

1-0 41 1: 51 51/ 5: 2 1 : 055: 5/ - 9 1 2(- - : 5 - : 0 35- 5- : 2 5. 55E. 12 1 A 53
 45 0A/ 2 1 9 - 1: - /1 - . 1 1 A: 41 A: 1: 10 0A/ / : -51 - : / 1
 EA 53 45 0A/ A 1 . AE1 - / 1 41 2 C53 : 055: 5/ - 9 1 2(- - : 5 - : 0 35- 5- :
 2 5. 55E
CONDITIONS: 41 051/ 5: 2 A 1 2 45 0A/ - 1. 15B10 . 1- 01 A- 1 - : 09 A . 12 C10/ - 12 A E
 C1B1 55 9 5 1 1 5 1- 57 - / 5 10 C54 41 A 1 2 45 0A/ 5 A E 5 12/ B1: 1
 41 A: 5 1: 010/ : 1 A1: / 1 9-E 1 A . 1/ - A 1 2 A/ 42/ - C1- 41 / : 055: 1 1/ 1 2 41

9-15 419-::1 2A1 - 5-5: - 2C454- 1.1E:0 41 / : 2 -E1 /5:/1
A/4 57 4- .1- A910.E 41A1 .AE1
DISCLAIMER OF WARRANTIES: ()
()
() -31: 2 -E1
/5:/15-A4 510 9-71-:EC- -:5 .1E:0 4 1 / : -5104115 9 0SE 41C- -:5
/ : -5104115 ()
()

-E1 13 0 41 -E1 13 0 -:0 -: - 1 135 1 10 -019 - 7 2 -E1

Backed by
BAEYER

P., ፳፻፲፭ ዓ.ም
፩ ዓ. E/20, ዓ. ፳፻፲፭ የS/ቤት
A D/20, ዓ. ዓ. ዓ. - S/ቤት የP
የT/ቤት የA/ቤት የD/ቤት
የB/ቤት የT/ቤት የC/ቤት

Bayer



Banol® FUNGICIDE

For control of Pythium and Phytophthora

ACTIVE INGREDIENT:

Propamocarb hydrochloride* 66.5%

OTHER INGREDIENTS: 33.5%

TOTAL 100.0%

*Propyl [3-(dimethylamino)propyl] carbamate monohydrochloride

Contains 6.0 lbs. active ingredient per gallon

EPA Reg. No. 432-942

STOP - READ THE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN **CAUTION**

For MEDICAL And TRANSPORTATION Emergencies
ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-800-331-2867

FIRST AID

If swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Do not administer atropine unless cholinesterase inhibition is measured or patient shows distinct symptoms thereof. Oxime therapy is contraindicated. Otherwise, administration of gastric lavage or induction of vomiting followed by application of activated charcoal is the recommended treatment.

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 1-800-334-7577. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

(01)00785740146200

Net Contents
2.5 Gallons
79895402
61380122A 150112AV1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container and keep tightly closed. Store in a cool dry secure place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Offer for reconditioning, if appropriate. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Bayer (reg'd), the Bayer Cross (reg'd) and Banol® are registered trademarks of Bayer.

See inside leaflet for complete First Aid Instructions, Precautionary Statements, Directions for Use and Storage and Disposal Instructions.

Backed by
BAYER

Produced for:

Bayer Environmental Science
A Division of Bayer CropScience LP
2 T. W. Alexander Drive
Research Triangle Park, NC 27709

Bayer

PULL HERE TO OPEN

Product of Germany