

LebanonTurf

Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 80 is ideal for putting greens

22-0-16



GUARANTEED ANALYSIS

Total Nitrogen (N)	22%
6.4% Water Insoluble Nitrogen*	
4.4% Urea Nitrogen	
11.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O).....	16%
Magnesium (Mg).....	0.7%
0.7% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.2%
6.2% Combined Sulfur (S)	
Iron (Fe).....	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.8%
0.9% Water Soluble Manganese (Mn)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*17.6% Slowly Available Nitrogen from Methylene Urea.
Chlorine (Cl) not more than..... 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	22%
6.4% Water Insoluble Nitrogen*	
4.4% Urea Nitrogen	
11.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O).....	16%
Magnesium (Mg).....	0.7%
0.7% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.2%
6.2% Combined Sulfur (S)	
Iron (Fe) (actual)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) (actual).....	0.8%
0.9% Water Soluble Manganese (Mn)	
Chlorine (Cl) (maximum).....	2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*17.6% Slowly Available Nitrogen from Methylene Urea.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club[®] MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:		
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.1 lbs per 1,000 sq. ft. or 178 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.3 lbs per 1,000 sq. ft. or 100 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N/1,000 sq. ft.	0.5 # N/1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15		D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		



Warning

Hazard Statements
May be harmful if inhaled repeatedly over prolonged periods.
Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements
Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

PennMulch[®] and ProScape[®] are registered trademarks of Lebanon Seaboard Corporation.
Country Club and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:		
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.9 kg of product per 100 sq. meters.		
To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 1.1 kg of product per 100 sq. meters.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N /100 m ²	0.24 kg N /100 m ²
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15		D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		



0 8 8 6 8 5 3 5 7 3 7 4
F699 **21-35737** /16

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight

22-0-16



GUARANTEED ANALYSIS

Total Nitrogen (N)	22%
6.4% Water Insoluble Nitrogen*	
4.4% Urea Nitrogen	
11.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O)	16%
Magnesium (Mg)	0.7%
0.7% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.2%
6.2% Combined Sulfur (S)	
Iron (Fe)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.8%
0.9% Water Soluble Manganese (Mn)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*17.6% Slowly Available Nitrogen from Methylene Urea.
Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	22%
6.4% Water Insoluble Nitrogen*	
4.4% Urea Nitrogen	
11.2% Other Water Soluble Nitrogen *	
Soluble Potash (K ₂ O)	16%
Magnesium (Mg)	0.7%
0.7% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.2%
6.2% Combined Sulfur (S)	
Iron (Fe) (actual)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) (actual).....	0.8%
0.9% Water Soluble Manganese (Mn)	
Chlorine (Cl) (maximum).....	2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Kelp Meal, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*17.6% Slowly Available Nitrogen from Methylene Urea.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club® MD products contain humic acids, which may aid in nutrient availability.

Notice: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after applications by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.



Warning

Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods.
Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements

Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N)
Equivalent to 1.9 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N)
Equivalent to 1.1 kg of product per 100 sq. meters.


SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N /100 m ²	0.24 kg N /100 m ²
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15	G	D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Application Rates:		
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.1 lbs per 1,000 sq. ft. or 178 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.3 lbs per 1,000 sq. ft. or 100 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N/1,000 sq. ft.	0.5 # N/1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15	G	D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

21-35737

i/16

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight